

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13839765	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 06:42
S3	8	"901060"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:17
S4	2	"5241633".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 12:23
S5	2	"5247635".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:38
S6	13839765	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:38
S7	7560	S6 and (vector\$9 with instruction)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 07:40
S8	2403	S7 and (vector with processo\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 14:40
S9	130	S8 and ((memor\$6 with (writ\$8 stor\$6)) same (sequen\$5 and async\$))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:03
S10	48	S9 and (overflo\$6 with buffer\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:05
S11	497	S8 and (sequenc\$6 same request\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:23
S12	13	S11 and (retry with buffer)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:06
S13	133	S8 and ((sequenc\$6 with (number identifier)) same request\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:23

S14	115	S13 and ((writ\$9 stor\$9) same (buffer and memor\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:29
S15	821	S8 and (address\$5 with buffer\$5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 16:30
S16	11	S8 and ((address\$5 with buffer\$5) same (async\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:33
S18	206	S15 and ((sequen\$10 with number\$10) same memor\$6)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/06 17:35
S19	158	S18 and ((synchr\$10 async\$10) same (buffer circuit))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:28
S20	13839765	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:32
S21	2	S20 and ("711"/\$ "712"/\$).ccls. and (vector near20 proces\$10) and (((synch\$10 async\$15) with (buffer\$10 stor\$10)) same (element and (sequen\$10 adj10 number)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:12
S23	91	S20 and (vector near20 proces\$10) and (parallel\$10 same (element and (sequen\$10 adj10 number)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:13
S25	11	S23 and ((memor\$10 and addres\$10)same (buffer\$10 and sequen\$10 with number\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:53
S27	5	S23 and mimd	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 06:57
S28	3	"731224" and rechtschaffen	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:09
S33	593	S20 and (vector near20 proces\$10) and ((memor\$10 and instruct\$10 and addres\$10) same (element and sequenc\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:22

S35	109	S33 and ((buffer\$10 with instruct\$10) same (concuren\$10 paralle\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 07:27
S36	13839765	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:00
S37	274	S36 and (((parall\$5 simultane\$6) with (execut\$6 writ\$6 stor\$8)) same (memor\$6 and (buffer\$5) and vector))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:17
S38	57	S37 and (sequenc\$9 near20 number)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:18
S39	2	"5396641".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 10:47
S40	2	"5475631".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:49
S41	4	("6266759" "6311216").pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:51
S42	13839765	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 11:58
S43	747	S42 and ((memor\$10 adj10 controller) same (sequen\$4 with (id number)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:25
S44	146	S43 and (out adj15 order)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:26
S45	71	S43 and ((out adj15 order) same (stor\$9 writ\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:59
S46	33	S36 and ((retry near20 buffer) same overflo\$10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:30

S47	23185	S42 and (((full conflict colid\$5 colid\$10) same (backoff back-off delay)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:35
S48	21501	S42 and (((full and (backoff back-off delay))) same (buffer stor\$6 memor\$10)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:42
S49	6789	S48 and (memo\$ near20 controller)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:39
S50	1310	S49 and (overflo\$ same (fifo memor\$10 buffer))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:40
S51	947	S50 and ((async\$10 sync\$10) same (memor\$10))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:41
S52	275	S42 and (((full and (backoff back-off delay))) same (buffer and fifo and memor\$10)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:44
S53	9	S52 and (exponential near20 (back-off backoff))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 14:49
S54	45	S36 and (vector adj2 scatter)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 15:22
S55	2	"6240524".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 16:15
S56	2	"6240524".pn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/07 17:00
S57	13839787	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/08 07:50
S58	2	S57 and ("711"/\$ "712"/\$).ccls. and (vector near20 proces\$10) and (((synch\$10 async\$15) with (buffer\$10 stor\$10)) same (element and (sequen\$10 adj10 number)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/08 07:53

S59	0	S58 AND 711/154.COR.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2005/09/08 07:53
S60	13880017	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 06:43
S61	10198	S60 and "712"/.ccls.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 07:39
S62	13880017	@ad < "20020725"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 07:40
S63	161	S61 and "711"/.ccls. and S62 and (vector\$9 with instruction)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 10:54
S64	36	S61 and "711"/.ccls. and S62 and (vector\$9 with (instruction and ident\$5))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/30 11:00